

BIMHUIS

Technical Rider

Audio

Max. 103dB(A) Leq

PA SYSTEM

Meyer M1D line array (8 + 2 each side)
Meyer UP-4X frontfill
Meyer HP-600 extra Subwoofer
d&b E12 outfills
Meyer Sound Galileo

FOH

Midas Heritage 2000 36+4
XTA GQ-600 2x30 band graphic eq
Bricasti M7 reverb
Lexicon PCM91FX processor
TC Electronic M3000 FX processor
TC Electronic D2
Focusrite ISA220
DBX 1046 compressor
DBX 166 compressor
BSS DPR404
BSS Opal compressor
BSS Opal gate
Drawmer DL241
2x Tascam CD-RW 900
Junger Accent 2

MONITORS

Midas Pro2 Digital Console
10x d&b MAX15 monitor
4x d&b P1200A amplifiers

MICROPHONES

2x AKG C414 B-ULX
2x AKG 451
2x AKG 535
2x ASL stereo trafo
2x Audio Technica ATM350
3x Beyerdynamic M88
2x Beyerdynamic M201
10x BSS AR133 active DI
7x Countryman E6 Headset
2x Countryman FET88
2x DPA 4006
4x DPA4061
2x DPA 4061 Headsets
3x DPA 4099
3x Electrovoice RE20
3x MBHO 648/KA1000
1x Radial PZDI Active Piezo DI
1x Radial PRO D2 stereo Passive DI
1x Radial PRO AV2 stereo Passive Multimedia DI
1x Radial J33 stereo Active Phono preamp DI
1x Radial USB-Pro USB DI
9x Neumann km140
2x Neumann km150/km130
2x Neumann km184
3x Neumann kms105
2x Neumann TLM170
2x Schoeps CMC6/MK4
6x Sennheiser e604
3x Sennheiser MD421
2x Sennheiser MD441
2x Sennheiser MKE40 revers microphone
4x Shure SM57
4x Shure SM58
1x Shure Beta 52
4x Shure Beta 57
4x Shure Beta 58
1x Shure Beta 91
1x Shure KSM9
1x Shure ULX 4D receiver
1x Shure ULXD4Q receiver
2x Shure ULX D2 handheld with SM58/ ß87/ ß58/KSM9 head
7x Shure ULX D1 Beltpack
1x Yamaha Subkick

Instruments and Backline Bimhuis

DRUMS

Sonor Phonic with:

18" bassdrum

10", 12", 14" en 16" toms

Yamaha Maple Custom with:

18", 20" en 22" bassdrums

10", 12" & 13" toms

14" en 16" floortoms

Snaredrums:

Ludwig Supraphonic LM402 6,5"

Yamaha Maple Custom Absolute 6.5"x14"

Yamaha Maple Custom 5.5"x14"

Sonor Vintage 6"x14"

Tama Swingstar 5.5"x14" Metal

Pearl 5.5"x14" Metal

Remo USA 3.5"x14" Metal

several Zildjan/Istanbul and other brand cymbals

Yamaha hardware

GRAND PIANO'S – PIANO'S – KEYBOARDS

Steinway & Sons D-274, length 274 cm. Serial number: 560.510 –

Preparation is NOT allowed!!

Standard tuning 442Hz

Steinway & Sons B-211, length 211 cm. Serial number: B 332941

Yamaha U1 upright piano

Nord Stage EX electric piano

M-Audio Axiom61 Midi keyboard

BASS AMPLIFIERS

Glockenklang Heart-rock head with Glockenklang 4x10" + tweeter cabinet

Galiën Krüger 800 RB with 15" or 4 x 10" speaker cabinets

Galiën Krüger 1001 RB with Galiën Krüger 410RBH

2x Galiën Krüger MB150S

Polytone Minibrute IV

SWR Workingman 15"

MarkBass Little Mark Tube with New York 121 Speaker

GUITAR AMPLIFIERS

AER Compact60
2x Fender Twin Reverb
Fender Bassman
Fender Hotrod Deluxe
Fender Deluxe Reverb
Polytone Minibrute IV
Roland JC-120
VOX AC-30

PERCUSSION

Musser M55 vibraphone
Quinto/Conga/Tumba LP with stand
Timbales LP Prestige 14/15"
Bongo Meinl with stand
Djembé Meinl with stand
Cajon Meinl
Chimes, Cowbells woodblocks etc

Audio Bar

Max. 98dB(A) Leq

Soundcraft Expression 1
d&b E12 Speakers
d&b D6 amp
Meyer UPM-1 infills
16x4 multi

Recording Studio

Midas Pro2 digital Console
48 tracks 96 kHz recording system
PCM LB1 speakers
Genelec 1029 speakers
rackmount equipment by Manley, Langevin, Junger, Urei, DBX, Lexicon, TC, Focusrite.

For further info please contact Jurre Wieman, [jurre \[at\] bimhuis.nl](mailto:jurre[at]bimhuis.nl)

DJ-Set

2x Technics SL-1200Mk2
2x Pioneer CDJ1000 mk3
Allen&Heath X-one 42 DJ Mixer
Pioneer DJM-600 DJ Mixer

Video

Concert hall

BenQ LU9715

8000 ansilumen

1000.000:1 contrastratio

WUXGA 1920 x 1200 resolution

4,88 x 3,05 (image size, 16:10) screen

4 x 3 meter expandable screen

Philips 32" HD monitor

2x pioneer DVD-8000

2x pioneer DVD-420V

Edirol LVS 400 video mixer

Kramer VS-42UHD 4x2 HDMI matrix

4x1 HDMI-switch

2x4 HDMI-matrix

Meeting Room

Sharp XG-25 beamer

4500 ansilumenen

600:1 contrastratio

1024 x 768 resolution

Projection on the wall

Café

Sanyo PLC-XP100L beamer

6500 ansilumen

2000:1 contrastratio

1024 x 768 resolution

2,25 x 1,70 meter screen

Extra

Panasonic PT-LB60NTE

3200 ansilumen

400:1 contrastratio

1024 x 768 resolution

Lights

48x 3kW dimmers

12x 3kW extra "free" dimmers

Martin Audio M2Go lightdesk

12x Robe Robin Ledwash 300

2x Robe Robin Ledwash 600

11x Teclumen Fusion Color 6

8x ADB profilespots 1kW

8x ADB PC 1kW

8x Desisti fresnell 1kW

12x Source Four par

10X JB Systems LED 56

Stage and Power

Dimensions stage: 9,15 wide x 7,20 deep x 4,40 height

Power on stage:

2x 32Amp 400V

1x 63Amp 400 V

3x 16Amp 240V

stroomvoorziening reportageplaats;

1x 63Amp 400V

1x 16Amp 240V

1x 220 V to 110 V Transformer; 1000 W; american-type plugs

2x 220 V to 110 V Transformer; 350 W; american-type plugs

Elevator dimensions w/h/d: 200cm x 210cm x 280 cm