

# BIMHUIS

## Technical Rider

### Audio

*Max. 103dB(A) Leq*

#### PA SYSTEM

Meyer M1D line array (8 + 2 each side)

Meyer UP-4X frontfill

Meyer HP-600 Subwoofer

d&b E12 outfills

Meyer Sound Galileo

#### FOH

Midas Pro2 with DL251 stagebox

Bricasti M7 reverb

Lexicon PCM91FX processor

TC Electronic D2

Focusrite ISA220

2x Tascam CD-RW 900

Junger Accent 2

XTA DS800 Active splitters

#### MONITORS

Midas Pro2 with DL251 stagebox

10x d&b MAX15 monitor

4x d&b P1200A amplifiers

## MICROPHONES

2x AKG C414 B-ULX  
2x AKG 451  
2x AKG C535  
2x ASL stereo trafo  
2x Audio Technica ATM350  
3x Beyerdynamic M88  
2x Beyerdynamic M201  
10x BSS AR133 active DI  
7x Countryman E6 Headset  
2x Countryman FET88  
2x DPA 4006  
4x DPA4061  
2x DPA 4061 Headsets  
3x DPA 4099  
3x Electrovoice RE20  
3x MBHO 648/KA1000  
1x Radial PZDI Active Piezo DI  
1x Radial PRO D2 stereo Passive DI  
1x Radial PRO AV2 stereo Passive Multimedia DI  
1x Radial J33 stereo Active Phono preamp DI  
1x Radial USB-Pro USB DI  
9x Neumann km140  
2x Neumann km150/km130  
2x Neumann km184  
3x Neumann kms105  
2x Neumann TLM170  
2x Schoeps CMC6/MK4  
6x Sennheiser e604  
3x Sennheiser MD421  
2x Sennheiser MD441  
2x Sennheiser MKE40 lapel microphone  
4x Shure SM57  
4x Shure SM58  
1x Shure Beta 52  
4x Shure Beta 57  
4x Shure Beta 58  
1x Shure Beta 91  
1x Shure KSM9  
1x Shure ULX 4D receiver  
1x Shure ULXD4Q receiver  
2x Shure ULX D2 handheld with SM58/ ß87/ ß58/KSM9 head  
7x Shure ULX D1 Beltpack  
1x Yamaha Subkick

# Instruments and Backline Bimhuis

## DRUMS

Sonor Phonic with:

18" bassdrum

10", 12", 14" en 16" toms

Yamaha Maple Custom with:

18", 20" en 22" bassdrums

10", 12" & 13" toms

14" en 16" floortoms

Snaredrums:

Ludwig Supraphonic LM402 6,5"

Yamaha Maple Custom Absolute 6.5"x14"

Yamaha Maple Custom 5.5"x14"

Sonor Vintage 6"x14"

Tama Swingstar 5.5"x14" Metal

Pearl 5.5"x14" Metal

Remo USA 3.5"x14" Metal

several Zildjan/Istanbul and other brand cymbals

Yamaha hardware

## GRAND PIANO'S – PIANO'S – KEYBOARDS

Steinway & Sons D-274, length 274 cm. Serial number: 560.510 –

Preparation is NOT allowed!! Standard tuning 442Hz

Steinway & Sons B-211, length 211 cm. Serial number: B 332941

Standard tuning 442Hz

Yamaha U1 upright piano; Standard tuning 442Hz

Nord Stage EX electric piano

M-Audio Axiom61 Midi keyboard

## BASS AMPLIFIERS

Glockenklang Heart-rock head with Glockenklang 4x10" + tweeter cabinet

Galiën Krüger 800 RB with 15" or 4 x 10" speaker cabinets

Galiën Krüger 1001 RB with Galiën Krüger 410RBH

2x Galiën Krüger MB150S

Polytone Minibrute IV

SWR Workingman 15"

MarkBass Little Mark Tube with New York 121 Speaker

## **GUITAR AMPLIFIERS**

AER Compact60  
2x Fender Twin Reverb  
Fender Bassman  
Fender Hotrod Deluxe  
Fender Deluxe Reverb  
Polytone Minibrute IV  
Roland JC-120  
VOX AC-30

## **PERCUSSION**

Musser M55 vibraphone  
Quinto/Conga/Tumba LP with stand  
Timbales LP Prestige 14/15"  
Bongo Meinl with stand  
Djembé Meinl with stand  
Cajon Meinl  
Chimes, Cowbells woodblocks etc  
Udu (LP, clay)  
Darbuka (Meinl)

## **Audio Bar**

*Max. 98dB(A) Leq*

Soundcraft Expression 1  
d&b E12 Speakers  
d&b D6 amp  
Meyer UPM-1 infills  
16x4 multi

## **Recording Studio**

Midas Pro2 digital Console  
48 tracks 96 kHz recording system  
PCM LB1 speakers  
Genelec 1029 speakers  
rackmount equipment by Neve, Langevin, Junger, Urei, DBX, Lexicon, TC, Focusrite.

For further info please contact Jurre Wieman, jurre [at] bimhuis.nl

## DJ-Set

2x Technics SL-1200Mk2  
2x Pioneer CDJ1000 mk3  
Allen&Heath X-one 42 DJ Mixer  
Pioneer DJM-600 DJ Mixer

## Video

### Concert hall

BenQ LU9715  
8000 ansilumen  
1.000.000:1 contrastratio  
WUXGA 1920 x 1200 resolution

4,88 x 3,05 (image size, 16:10) screen  
4 x 3 meter expandable screen  
Philips 32" HD monitor

2x pioneer DVD-8000  
2x pioneer DVD-420V  
Edirol LVS 400 video mixer  
Kramer VS-42UHD 4x2 HDMI matrix  
4x1 HDMI-switch  
2x4 HDMI-matrix

### Meeting Room

Sharp XG-25 beamer  
4500 ansilumenen  
600:1 contrastratio  
1024 x 768 resolution  
Projection on the wall

### Café

Sanyo PLC-XP100L beamer  
6500 ansilumen  
2000:1 contrastratio  
1024 x 768 resolution  
2,25 x 1,70 meter screen

### Extra

Panasonic PT-LB60NTE  
3200 ansilumen  
400:1 contrastratio  
1024 x 768 resolution

## Lights

48x 3kW dimmers

12x 3kW extra "free" dimmers

Martin Audio M2Go lightdesk

12x Robe Robin Ledwash 300

2x Robe Robin Ledwash 600

11x Teclumen Fusion Color 6

8x ADB profilespots 1kW

8x ADB PC 1kW

8x Desisti fresnell 1kW

12x Source Four par

10X JB Systems LED 56

## Stage and Power

Dimensions stage: 9,15 wide x 7,20 deep x 4,40 height

Power on stage:

2x 32Amp 400V

1x 63Amp 400 V

3x 16Amp 240V

Power for broadcast trucks;

1x 63Amp 400V

1x 16Amp 240V

1x 220 V to 110 V Transformer; 1000 W; american-type plugs

2x 220 V to 110 V Transformer; 350 W; american-type plugs

Elevator dimensions w/h/d: 200cm x 210cm x 280 cm