

BIMHUIS

Technical Rider

Audio

Max. 100dB(A) Leq 15min

PA SYSTEM

Meyer M1D line array (8 + 2 each side)
Meyer UP-4X frontfill
Meyer HP-600 Subwoofer
d&b E12 outfills
Meyer Sound Galileo

FOH

Midas Pro2 with DL251 & DL254 stagebox
Bricasti M7 reverb
Lexicon PCM91 FX processor
Junger Accent 2

MONITORS

Monitors are driven from FOH
10x d&b MAX15 monitor
4x d&b P1200A amplifiers

MICROPHONES

2x AEA N8
2x AKG C414 B-ULX
2x AKG C535
2x ASL stereo trafo
1x Audio Technica ATM350
2x Beyerdynamic M88
3x Beyerdynamic M201
10x BSS AR133 active DI
6x Countryman E6 Headset
6x DPA 6066 headset
2x Countryman FET88
2x DPA 4006
3x DPA 4061
3x DPA 4099

1x DPA 4018 d:facto
3x Electrovoice RE20
3x MBHO 648/KA1000
1x Radial PZDI Active Piezo DI
1x Radial PRO D2 stereo Passive DI
1x Radial PRO AV2 stereo Passive Multimedia DI
1x Radial J33 stereo Active Phono preamp DI
1x Radial USB-Pro USB DI
9x Neumann km140
2x Neumann km130
2x Neumann km150
3x Neumann km184
2x Neumann kms105
4x Neumann TLM170
2x Schertler Dyn-Uni-P48 contact microphone
4x Schoeps CMC6/MK4
4x Sennheiser e604
2x Sennheiser MD421
2x Sennheiser MD441
2x Sennheiser MKE40 lavalier microphone
2x Shure SM7b
4x Shure SM57
4x Shure SM58
1x Shure Beta 52
4x Shure Beta 57
4x Shure Beta 58
1x Shure Beta 91
1x Shure KSM9
2x Shure ULX4D receiver
1x Shure ULXD4Q receiver
2x Shure ULX D2 handheld with SM58/ ß87/ ß58/KSM9 head
7x Shure ULX D1 Beltpack
1x Yamaha Subkick

Video

Concert hall

BenQ LU9715
8000 ansilumen
1.000.000:1 contrastratio
WUXGA 1920 x 1200 resolution

4,88 x 3,05 (image size, 16:10) screen
4 x 3 meter expandable screen
Philips 32" HD monitor

Roland XS-1HD Video mixer
Blackmagic ATEM Mini
Mac Mini m1

Lights

48x 3kW dimmers
12x 3kW extra "free" dimmers
Martin Audio M2Go lightdesk
12x Robe Robin Ledwash 300
2x Robe Robin Ledwash 600
4x Ayrton Mistral Led Profile spots
18x Teclumen Fusion Color 6
8x ADB profilespots 1kW
8x ADB PC 1kW
8x Desisti fresnell 1kW
8x Strand fresnell 2kW
12x Source Four par
10X JB Systems LED 56 (on luxaflex)
2x Smoke Factory Tour Hazer II

Stage and Power

Dimensions stage: 9,15 wide x 7,20 deep x 4,40 height

Power on stage:

2x 32Amp 400V

1x 63Amp 400 V

3x 16Amp 240V

Power for broadcast trucks;

1x 63Amp 400V

1x 16Amp 240V

1x 220 V to 110 V Transformer; 1000 W; american-type plugs

2x 220 V to 110 V Transformer; 350 W; american-type plugs

Elevator dimensions w/h/d: 200cm x 210cm x 280 cm

Instruments and Backline

DRUMS

Sonor Phonic with:

18" bassdrum

10", 12", 14" en 16" toms

Yamaha Maple Custom with:

18", 20" en 22" bassdrums

10", 12" & 13" toms

14" en 16" floortoms

Snaredrums:

Ludwig Supraphonic LM402 6,5"x14"

Yamaha Maple Custom Absolute 6.5"x14"

Yamaha Maple Custom 5.5"x14"

Sonor Vintage 6"x14"

Tama Swingstar 5.5"x14" Metal

Pearl 5.5"x14" Metal

Remo USA 3.5"x14" Metal

several Zildjan/Istanbul and other brand cymbals

Yamaha hardware

GRAND PIANO'S – PIANO'S - KEYBOARDS

Steinway & Sons D-274, length 274 cm. Serial number: 560.510 –

Preparation is NOT allowed!! Standard tuning 442Hz

Steinway & Sons B-211, length 211 cm. Serial number: B 332941

Standard tuning 442Hz

Yamaha U1 upright piano; Standard tuning 442Hz

Nord Stage EX electric piano

M-Audio Axiom61 Midi keyboard

BASS GUITAR & AMPLIFIERS

Fender Precision 4 string

Glockenklang Heart-rock head with Glockenklang 4x10" + tweeter cabinet

Galiën Krüger 1001 RB with Galiën Krüger 410RBH

2x Galiën Krüger MB150S

Polytone Minibrute IV

SWR Workingman 15"

MarkBass Little Mark Tube with New York 121 Speaker

Aguilar ToneHammer 700 with 2x SL112

GUITAR AMPLIFIERS

AER Compact60
2x Fender Twin Reverb
Fender Bassman
Fender Hotrod Deluxe
2x Fender Deluxe Reverb
Polytone Minibrute IV
Roland JC-120
VOX AC-30

PERCUSSION

Musser M55 vibraphone
Quinto/Conga/Tumba LP with stand
Timbales LP Prestige 14/15"
Bongo Meinl with stand
Djembe Meinl with stand
Cajon Meinl
Chimes, Cowbells woodblocks etc
Udu (LP, clay)
Darbuka (Meinl)

Audio Bar

Max. 98dB(A) Leq

Soundcraft Expression 1

d&b E12 Speakers

d&b D6 amp

Meyer UPM-1 infills

16x4 multi

DJ-Set

2x Technics SL-1200Mk2

2x Pioneer CDJ850

Allen&Heath X-one 42 DJ Mixer

Video

Sanyo PLC-XP100L beamer

6500 ansilumen

2000:1 contrastratio

1024 x 768 resolution

2,25 x 1,70 meter screen

Recording Studio

Midas Pro2 digital Console

48 tracks 96 kHz recording system

PCM LB1 speakers

Genelec 1029 speakers

rackmount equipment by Neve, Langevin, Junger, Urei, DBX, Lexicon, TC, Focusrite.

For further info please contact Jurre Wieman, jurre [at] bimhuis.nl

Video Meeting Room

Sharp XG-25 beamer

4500 ansilumenen

600:1 contrastratio

1024 x 768 resolution

Projection on the wall